









Diamond Technologies Inc.
 6 Clock Tower Place
 Suite 100
 Maynard MA 01754
 Tel: 978-461-1140
 Fax: 978-461-1146

PRODUCT CATALOG

	PRODUCT CODE(S)	DESCRIPTION	QUANTITY PER BOX
31X32 MM SUPERLABEL BARCODE 	31X32 8BC, .5K/ROLL 31X32 8BC, 1K/ROLL 31X32 8BC, 2K/ROLL	ALL-TAG SUPERLABEL - 8.2 MHZ COMPATIBLE WITH CHECKPOINT EAS SYSTEMS AND DEACTIVATORS 1.2 x 1.3 INCHES / 31 x 32 MM EAS SYSTEM & DEACTIVATION PERFORMANCE IS COMPARABLE TO STANDARD 1.5 x 1.5 INCH (4 x 4 CM) RF LABELS	17,500 30,000 24000
31X32 MM SUPERLABEL PLAIN WHITE 	31X32 8PW, .5K/ROLL 31X32 8PW, 1K/ROLL 31X32 8PW, 2K/ROLL 31X32 8PW, 5K/ROLL 31X32 8PW, 8K/ROLL	ALL-TAG SUPERLABEL - 8.2 MHZ COMPATIBLE WITH CHECKPOINT EAS SYSTEMS AND DEACTIVATORS 1.2 x 1.3 INCHES / 31 x 32 MM EAS SYSTEM & DEACTIVATION PERFORMANCE IS COMPARABLE TO STANDARD 1.5 x 1.5 INCH (4 x 4 CM) RF LABELS	17,500 30,000 24,000 30,000 32,000
33X38 MM SUPERLABEL BARCODE 	33X38 8BC, .5K/ROLL 33X38 8BC, 1K/ROLL 33X38 8BC, 2K/ROLL	ALL-TAG SUPERLABEL - 8.2 MHZ COMPATIBLE WITH CHECKPOINT EAS SYSTEMS AND DEACTIVATORS 1.3 x 1.5 INCHES / 31 x 38 MM EAS SYSTEM & DEACTIVATION PERFORMANCE IS SUPERIOR TO STANDARD 1.5 x 1.5 INCH (4 x 4 CM) RF LABELS	27,000 24,000 20,000
33X38 MM SUPERLABEL PLAIN WHITE 	33X38 8PW, .5K/ROLL 33X38 8PW, 1K/ROLL 33X38 8PW, 2K/ROLL 33X38 8PW, 5K/ROLL 33X38 8PW, 8K/ROLL	ALL-TAG SUPERLABEL - 8.2 MHZ COMPATIBLE WITH CHECKPOINT EAS SYSTEMS AND DEACTIVATORS 1.3 x 1.5 INCHES / 31 x 38 MM EAS SYSTEM & DEACTIVATION PERFORMANCE IS SUPERIOR TO STANDARD 1.5 x 1.5 INCH (4 x 4 CM) RF LABELS	27,000 24,000 20,000 15,000 24,000
23X44 MM SUPERLABEL BARCODE 	23X44 8BC, 2K/ROLL	ALL-TAG SUPERLABEL - 8.2 & 9.2 MHZ COMPATIBLE WITH CHECKPOINT EAS SYSTEMS AND DEACTIVATORS 0.9 x 1.8 INCHES / 23 X 44 MM	16,000







<p>23X44 MM SUPERLABEL PLAIN WHITE</p> 	<p>23X44 8PW, 2K/ROLL 23X448PW, 4K/ROLL 23X44 8PW, 8K/ROLL</p>	<p>ALL-TAG SUPERLABEL - 8.2 & 9.2 MHZ COMPATIBLE WITH CHECKPOINT EAS SYSTEMS AND DEACTIVATORS 0.9 x 1.8 INCHES / 23 X 44 MM</p>	<p>16,000 16,000 24,000</p>
<p>ROUND LABEL</p> 	<p>33CRD8CL, 1K GREY CIRCUIT</p>	<p>ALL-TAG SUPERLABEL - 8.2 MHZ COMPATIBLE WITH CHECKPOINT EAS SYSTEMS AND DEACTIVATORS 1.29 INCH / 33 MM DIAMETER</p>	<p>20,000</p>
<p>MICORLABEL - BARCODE & PLAIN WHITE</p> 	<p>26X29 8BC, 2K 26X29 8PW, 2K</p>	<p>RF LABEL - 8.2 MHZ COMPATIBLE WITH CHECKPOINT EAS SYSTEMS AND DEACTIVATORS 1 X 1.1 INCHES / 26 X 29 MM EAS SYSTEM & DEACTIVATION PERFORMANCE IS COMPARABLE TO THE CHECKPOINT POSTAGE STAMP LABEL</p>	<p>20,000</p>
<p>38X42 MM BARCODE LABEL</p> 	<p>4D8PW, .5K/ROLL 4D8PW, 1K/ROLL 4D8PW, 2K/ROLL</p>	<p>38X42 MM ALL-TAG LABEL - 8.2 MHZ 1.5 X 1.6 INCHES COMPATIBLE WITH CHECKPOINT EAS SYSTEMS AND DEACTIVATORS ALTERNATIVE TO THE CHECKPOINT 410 LABEL, WHICH IS THEIR 4X4 CM (1.5 X 1.5 INCH) LABEL</p>	<p>30,000 25,000 20,000</p>
<p>38X42 MM PLAIN WHITE LABEL</p> 	<p>4D8BC, .5K/ROLL 4D8BC, 1K/ROLL 4D8BC, 2K/ROLL</p>	<p>38X42 MM ALL-TAG LABEL - 8.2 MHZ 1.5 X 1.6 INCHES COMPATIBLE WITH CHECKPOINT EAS SYSTEMS AND DEACTIVATORS ALTERNATIVE TO THE CHECKPOINT 410 LABEL, WHICH IS THEIR 4X4 CM (1.5 X 1.5 INCH) LABEL</p>	<p>30,000 25,000 20,000</p>
<p>MINI TAG</p> 	<p>T-TO-2001</p>	<p>MINI TAG - 8.2 MHZ RADIO-FREQUENCY (RF) COMPATIBLE WITH CHECKPOINT EAS SYSTEMS CAN BE REMOVED FROM CLOTHING WITH A STANDARD MAGNETIC DETACHER (REMOVER)</p>	<p>1,000</p>

<p>E-TAG 4</p> 	<p>T-TO-ETAGIVGY</p>	<p>E-TAG 4 - 58 KHZ ACOUSTO-MAGNETIC (AM) COMPATIBLE WITH SENSORMATIC EAS SYSTEMS AND DETACHERS SMALLER SIZED ALTERNATIVE TO THE SENSORMATIC SUPERTAG EQUIPPED WITH SAME 58 KHZ ANTENNA FOUND IN AUTHENTIC SENSORMATIC SUPERTAGS</p>	<p>1,000</p>
<p>E-MAX TAG</p> 	<p>T-TO-EUT58MG/H</p>	<p>E-MAX TAG - 58 KHZ ACOUSTO-MAGNETIC (AM) COMPATIBLE WITH SENSORMATIC EAS SYSTEMS ALTERNATIVE TO THE SENSORMATIC ULTRATAG EQUIPPED WITH SAME 58 KHZ ANTENNA FOUND IN AUTHENTIC ULTRATAGS CAN BE REMOVED FROM CLOTHING WITH A STANDARD MAGNETIC DETACHER (REMOVER)</p>	<p>1,000</p>
<p>PREOWNED SENSORMATIC SUPERTAG</p> 	<p>TPO-TO-SUPERTAG II GREY</p>	<p>SENSORMATIC SUPERTAG - 58 KHZ ACOUSTO-MAGNETIC (AM) PREOWNED AUTHENTIC SENSORMATIC SUPERTAGS</p>	<p>1,000</p>
<p>MAXTAG II</p> 	<p>T-TO-TU-9000</p>	<p>MAXTAG II - 58 KHZ ACOUSTO-MAGNETIC (AM) COMPATIBLE WITH SENSORMATIC EAS SYSTEMS AND DETACHERS ALTERNATIVE TO THE SENSORMATIC ULTRA-GATOR EQUIPPED WITH SAME 58 KHZ ANTENNA AND LOCK FOUND IN AUTHENTIC SENSORMATIC ULTRA-GATORS</p>	<p>1,000</p>
<p>PREOWNED SENSORMATIC ULTRA-GATOR</p> 	<p>TPO-TO-ULTRAGATOR</p>	<p>SENSORMATIC ULTRA-GATOR - 58 KHZ ACOUSTO-MAGNETIC (AM) PREOWNED AUTHENTIC SENSORMATIC ULTRA-GATORS</p>	<p>1,000</p>
<p>SUPERSTYLUS TAG</p> 	<p>T-TO-SUPERSTYLUS</p>	<p>SUPERSTYLUS TAG - 58 KHZ ACOUSTO-MAGNETIC (AM) COMPATIBLE WITH SENSORMATIC EAS SYSTEMS AND DETACHERS ALTERNATIVE TO THE SENSORMATIC SUPERTAG EQUIPPED WITH SAME 58 KHZ ANTENNA FOUND IN AUTHENTIC SENSORMATIC SUPERTAGS</p>	<p>500</p>







<p>SENSORMATIC VST TAG</p> 	<p>VST-G</p>	<p>SENSORMATIC VST TAG - 58 KHZ ACOUSTO-MAGNETIC (AM) AUTHENTIC SENSORMATIC VST TAGS THESE ARE ONE TIME USE TAGS, BUT WE HAVE PATENTED A PROCESS TO CONTINUALLY RESET THE LOCKS SO THAT THEY CAN BE USED OVER AND OVER AGAIN TO SOURCE TAG SOFT GOODS</p>	<p>1,000</p>
<p>AM MINI STYLUS</p> 	<p>T-TO-LUX58GY-MINI</p>	<p>AM MINI STYLUS - 58 KHZ ACOUSTO-MAGNETIC (AM) COMPATIBLE WITH SENSORMATIC EAS SYSTEMS CAN BE REMOVED FROM CLOTHING WITH A STANDARD MAGNETIC DETACHER (REMOVER) COLOR - GREY</p>	<p>1,000</p>
<p>RF MINI STYLUS</p> 	<p>T-TO-LUX820-BK-MINI</p>	<p>RF MINI STYLUS - 8.2 MHZ RADIO-FREQUENCY (RF) COMPATIBLE WITH CHECKPOINT EAS SYSTEMS CAN BE REMOVED FROM CLOTHING WITH A STANDARD MAGNETIC DETACHER (REMOVER) COLOR - BLACK</p>	<p>1,000</p>
<p>AM MINI STYLUS WITH LANYARD</p> 	<p>T-TO-LUX58GY/LYP</p>	<p>AM MINI STYLUS WITH LANYARD - 58 KHZ ACOUSTO-MAGNETIC (AM)) COMPATIBLE WITH SENSORMATIC EAS SYSTEMS CAN BE REMOVED FROM CLOTHING WITH A STANDARD MAGNETIC DETACHER (REMOVER) COLOR - GREY</p>	<p>1,000</p>
<p>RF MINI STYLUS WITH LANYARD</p> 	<p>T-TO-LUX820BL/LYP</p>	<p>RF MINI STYLUS - 8.2 MHZ RADIO-FREQUENCY (RF) COMPATIBLE WITH CHECKPOINT EAS SYSTEMS CAN BE REMOVED FROM CLOTHING WITH A STANDARD MAGNETIC DETACHER (REMOVER) COLOR - BLACK</p>	<p>1,000</p>
<p>RF SST TAG</p> 	<p>T-TO-820NL</p>	<p>RF SST TAG - 8.2 MHZ RADIO-FREQUENCY (RF) COMPATIBLE WITH CHECKPOINT EAS SYSTEMS CAN BE REMOVED FROM CLOTHING WITH A STANDARD MAGNETIC DETACHER (REMOVER) COLOR - BEIGE & BLACK</p>	<p>1,000</p>







<p>AM SST TAG</p> 	<p>T-TO-SST580NL</p>	<p>AM SST TAG - 58 KHZ ACOUSTO-MAGNETIC (AM) COMPATIBLE WITH SENSORMATIC EAS SYSTEMS EQUIPPED WITH SAME 58 KHZ ANTENNA FOUND IN AUTHENTIC SENSORMATIC TAGS CAN BE REMOVED FROM CLOTHING WITH A STANDARD MAGNETIC DETACHER (REMOVER) COLOR - GREY</p>	<p>1,000</p>
<p>RF SST WITH LANYARD</p> 	<p>T-TO-820NL/LYP</p>	<p>RF SST TAG WITH LANYARD - 8.2 MHZ RADIO-FREQUENCY (RF) COMPATIBLE WITH CHECKPOINT EAS SYSTEMS CAN BE REMOVED FROM CLOTHING WITH A STANDARD MAGNETIC DETACHER (REMOVER) COLOR - BLACK</p>	<p>1,000</p>
<p>AM SST WITH LANYARD</p> 	<p>T-TO-580/LYP</p>	<p>AM SST TAG WITH LANYARD - 58 KHZ ACOUSTO-MAGNETIC (AM) COMPATIBLE WITH SENSORMATIC EAS SYSTEMS EQUIPPED WITH SAME 58 KHZ ANTENNA FOUND IN AUTHENTIC SENSORMATIC TAGS CAN BE REMOVED FROM CLOTHING WITH A STANDARD MAGNETIC DETACHER (REMOVER) COLOR - GREY</p>	<p>1,000</p>
<p>DURAL TAG</p> 	<p>T-TO-TD5000</p>	<p>DURAL TAG - 8.2 MHZ RADIO-FREQUENCY (RF) COMPATIBLE WITH CHECKPOINT EAS SYSTEMS CAN BE REMOVED FROM CLOTHING WITH A STANDARD MAGNETIC DETACHER (REMOVER)</p>	<p>1,000</p>
<p>OVNI TAG</p> 	<p>T-TO-5000</p>	<p>OVNI TAG - 8.2 MHZ RADIO-FREQUENCY (RF) COMPATIBLE WITH CHECKPOINT EAS SYSTEMS ALTERNATIVE TO THE CHECKPOINT UFO TAG CAN BE REMOVED FROM CLOTHING WITH A STANDARD MAGNETIC DETACHER (REMOVER)</p>	<p>500</p>
<p>RF GOLF TAG</p> 	<p>T-TO-GTAG RF</p>	<p>RF GOLF TAG - 8.2 MHZ RADIO-FREQUENCY (RF) COMPATIBLE WITH CHECKPOINT EAS SYSTEMS MUST BE REMOVED FROM CLOTHING WITH A GOLF TAG (OPEN DISH) MAGNETIC DETACHER (REMOVER) COLOR - BLACK</p>	<p>1,000</p>





<p>AM GOLF TAG</p> 	<p>T-TO-GTAG AM</p>	<p>AM GOLF TAG - 58 KHZ ACOUSTO-MAGNETIC (AM) COMPATIBLE WITH SENSORMATIC EAS SYSTEMS MUST BE REMOVED FROM CLOTHING WITH A GOLF TAG (OPEN DISH) MAGNETIC DETACHER (REMOVER) COLOR - BLACK</p>	<p>1,000</p>
<p>PICO TAG</p> 	<p>T-TO-2000</p>	<p>PICO TAG - 8.2 MHZ RADIO-FREQUENCY (RF) COMPATIBLE WITH CHECKPOINT EAS SYSTEMS ALTERNATIVE TO THE CHECKPOINT MINI UFO TAG CAN BE REMOVED FROM CLOTHING WITH A STANDARD MAGNETIC DETACHER (REMOVER)</p>	<p>1,000</p>
<p>METAL FLAT HEAD PIN</p> 	<p>T-PO-3000</p>	<p>METAL FLAT HEAD PIN - 5/8 INCH / 16 MM LENGTH AVAILABLE WITH OR WITHOUT GROOVES ON PIN SHAFT TYPICALLY USED WITH MINI TAGS, MINI STYLUS TAGS, SST TAGS AND OVNI TAGS</p>	<p>1,000</p>
<p>SUPERTAG PIN</p> 	<p>T-PO-7000</p>	<p>SUPERTAG PIN COMPATIBLE WITH E-TAG 4, SUPERSTYLUS TAG, AND ALL SENSORMATIC BRAND SUPERTAGS</p>	<p>1,000</p>
<p>ALLIGATOR PIN</p> 	<p>T-PO-6000</p>	<p>ALLIGATOR PIN COMPATIBLE WITH MAXTAG II AND THE SENSORMATIC ULTRA-GATOR</p>	<p>1,000</p>
<p>LOOP LANYARD</p> 	<p>T-LN-2000</p>	<p>LOOP LANYARD - 8 INCHES WITH THE USE OF A PIN, THIS PRODUCT CREATES A LOOPING APPENDAGE ALLOWING AN EAS TAG TO BE ATTACHED TO LEATHER PURSES, LUGGAGE, METAL OBJECTS, ETC.</p>	<p>1,000</p>

<p>PIN LANYARD</p> 	<p>T-LN-3000</p>	<p>PIN LANYARD - 8 INCHES THIS PRODUCT CREATES A LOOPING APPENDAGE ALLOWING AN EAS TAG TO BE ATTACHED TO LEATHER PURSES, LUGGAGE, METAL OBJECTS, ETC.</p>	<p>1,000</p>
<p>TAG LANYARD</p> 	<p>T-LN-4000</p>	<p>TAG LANYARD - 8 INCHES FOR USE WITH EAS TAGS THAT ARE EQUIPPED WITH A LANYARD HOLE</p>	<p>1,000</p>
<p>UNIVERSAL INK TAG CLEAR</p> 	<p>T-IO-6000 C/G</p>	<p>UNIVERSAL INK TAG CLEAR CAN BE USED WITH THE UNIVERSAL CLUTCH TO CREATE AN INEXPENSIVE YET EFFECTIVE DETERRENT. THIS PRODUCT CAN ALSO BE USED IN CONJUNCTION WITH EAS SENSOR TAGS TO CREATE A DOUBLE MEASURE OF PROTECTION AGAINST THEFT</p>	<p>1,000</p>
<p>UNIVERSAL INK TAG GREY</p> 	<p>T-IO-6000 G/G</p>	<p>UNIVERSAL INK TAG GREY CAN BE USED WITH THE UNIVERSAL CLUTCH TO CREATE AN INEXPENSIVE YET EFFECTIVE DETERRENT. THIS PRODUCT CAN ALSO BE USED IN CONJUNCTION WITH EAS SENSOR TAGS TO CREATE A DOUBLE MEASURE OF PROTECTION AGAINST THEFT</p>	<p>1,000</p>
<p>UNIVERSAL CLUTCH</p> 	<p>T-IC-9000</p>	<p>UNIVERSAL CLUTCH SPECIALLY DESIGNED TO WORK WITH UNIVERSAL INK TAGS TO CREATE AN INEXPENSIVE YET EFFECTIVE DETERRENT CAN BE REMOVED FROM CLOTHING WITH A STANDARD MAGNETIC DETACHER (REMOVER)</p>	<p>1,000</p>
<p>RF I-TAG</p> 	<p>T-IO-ITT820GY</p>	<p>RF I-TAG - 8.2 MHZ RADIO-FREQUENCY (RF) SENSOR TAG / INK TAG COMBINATION PRODUCT COMPATIBLE WITH CHECKPOINT EAS SYSTEMS CAN BE REMOVED FROM CLOTHING WITH A STANDARD MAGNETIC DETACHER (REMOVER)</p>	<p>1,000</p>

<p>AM I-TAG</p> 	<p>T-IO-ITT58GY</p>	<p>AM I-TAG - 58 KHZ ACOUSTO-MAGNETIC (AM) SENSOR TAG / INK TAG COMBINATION PRODUCT COMPATIBLE WITH SENSORMATIC EAS SYSTEMS CAN BE REMOVED FROM CLOTHING WITH A STANDARD MAGNETIC DETACHER (REMOVER)</p>	<p>1,000</p>
<p>INK TAG LP</p> 	<p>T-IO-3000</p>	<p>INK TAG LP THE INK AMPULES AND THE LOCK ARE ENCASED IN THE SAME PLASTIC SHELL SO THAT THE ENTIRE INK TAG CAN BE ATTACHED TO MERCHANDISE WITH A SMALL PIN THE COMBINATION OF THE INK TAG AND THE SMALL PIN OFFERS A VERY SMALL AND LIGHTWEIGHT BENEFIT-DENIAL PRODUCT</p>	<p>1,000</p>
<p>UNIVERSAL MAGNETIC DETAC</p> 	<p>T-DD-5000</p>	<p>UNIVERSAL MAGNETIC DETACHER WILL DETACH ALL MAGNETIC RELEASE EAS TAGS FROM RETAIL MERCHANDISE</p>	<p>1</p>
<p>STANDARD MAGNETIC DETACHER</p> 	<p>T-DD-1000</p>	<p>STANDARD MAGNETIC DETACHER WILL DETACH MOST MAGNETIC RELEASE EAS TAGS FROM RETAIL MERCHANDISE</p>	<p>1</p>
<p>SUPERTAG HAND DETACHER</p> 	<p>TPO-MK75</p>	<p>SUPERTAG HAND DETACHER NEW AND PREOWNED VERSIONS AVAILABLE REMOVES SUPERTAGS, E-TAG 4, AND SUPERSTYLUS TAGS FROM RETAIL MERCHANDISE</p>	<p>1</p>
<p>ULTRA-GATOR HAND DETACHER</p> 	<p>T-DD-7000</p>	<p>ULTRA-GATOR HAND DETACHER NEW AND PREOWNED VERSIONS AVAILABLE REMOVES ULTRA-GATORS AND MAXTAG II TAGS FROM RETAIL MERCHANDISE</p>	<p>1</p>

<p>UNIVERSAL LABEL DEACTIVATOR</p> 	<p>T-DT-3000</p>	<p>UNIVERSAL LABEL DEACTIVATOR - 8.2 MHZ RADIO-FREQUENCY (RF) PERMANENTLY DEACTIVATES ALL-TAG, CHECKPOINT, AND ALL OTHER 8.2 MHZ LABELS AT THE CHECKOUT COUNTER</p>	<p>1</p>
<p>AM LABEL DEACTIVATOR</p> 	<p>T-DT-9000</p>	<p>AM LABEL DEACTIVATOR - 58 KHZ ACOUSTO-MAGNETIC (AM) PERMANENTLY DEACTIVATORS SENSORMATIC ULTRASTRIP III (DR) LABELS AND ANY OTHER AM LABELS AT THE CHECKOUT COUNTER</p>	<p>1</p>
<p>AM LABELS - BARCODE</p> 	<p>AMDRBC</p>	<p>SENSORMATIC ULTRASTRIP III (DR) LABELS - 58 KHZ ACOUSTO-MAGNETIC (AM) COMPATIBLE WITH SENSORMATIC AND ALL OTHER AM SYSTEMS AND DEACTIVATORS AVAILABLE IN SHEET FORMAT</p>	<p>5,000</p>
<p>AM LABELS WHITE</p> 	<p>AMDRPW</p>	<p>SENSORMATIC ULTRASTRIP III (DR) LABELS - 58 KHZ ACOUSTO-MAGNETIC (AM) COMPATIBLE WITH SENSORMATIC AND ALL OTHER AM SYSTEMS AND DEACTIVATORS AVAILABLE IN SHEET FORMAT</p>	<p>5,000</p>
<p>AM LABELS BLACK</p> 	<p>AMDRBL</p>	<p>SENSORMATIC ULTRASTRIP III (DR) LABELS - 58 KHZ ACOUSTO-MAGNETIC (AM) COMPATIBLE WITH SENSORMATIC AND ALL OTHER AM SYSTEMS AND DEACTIVATORS AVAILABLE IN SHEET FORMAT</p>	<p>5,000</p>
<p>BOTTLE CAP</p> 	<p>T-BT820 - RF VERSION T-BT580 - AM VERSION</p>	<p>BOTTLE CAP - 8.2 MHZ RADIO-FREQUENCY (RF) OR 58 KHZ ACOUSTO-MAGNETIC (AM) COMPATIBLE WITH CHECKPOINT OR SENSORMATIC PERFECT FOR PROTECTING LIQUOR AND OTHER TYPES OF BOTTLES CAN BE REMOVED FROM CLOTHING WITH A STANDARD MAGNETIC DETACHER (REMOVER)</p>	<p>500</p>

<p>BOTTLE TAG</p> 	<p>T-TO-TD1000</p>	<p>BOTTLE TAG - 8.2 MHZ RADIO-FREQUENCY (RF) OR 58 KHZ ACOUSTO-MAGNETIC (AM) COMPATIBLE WITH CHECKPOINT OR SENSORMATIC PERFECT FOR PROTECTING LIQUOR AND OTHER TYPES OF BOTTLES CAN BE REMOVED FROM CLOTHING WITH A STANDARD MAGNETIC DETACHER (REMOVER)</p>	<p>500</p>
<p>BOX WRAP</p> 	<p>T-TO-BW1000</p>	<p>BOX WRAP - 8.2 MHZ RADIO-FREQUENCY (RF) OR 58 KHZ ACOUSTO-MAGNETIC (AM) COMPATIBLE WITH CHECKPOINT OR SENSORMATIC PERFECT FOR PROTECTING MERCHANDISE CONTAINED IN BOXES CAN BE REMOVED FROM CLOTHING WITH A STANDARD MAGNETIC DETACHER (REMOVER)</p>	<p>500</p>
<p>2 ALARM CABLE LOCK</p> 	<p>T-TO-CABLELOCK2ALARM</p>	<p>2 ALARM CABLE LOCK - 8.2 MHZ RADIO-FREQUENCY (RF) OR 58 KHZ ACOUSTO-MAGNETIC (AM) COMPATIBLE WITH CHECKPOINT OR SENSORMATIC PERFECT FOR PROTECTING MERCHANDISE THAT CANNOT BE TAGGED WITH A TRADITIONAL SENSOR TAG/PIN CAN BE REMOVED FROM CLOTHING WITH A STANDARD MAGNETIC DETACHER (REMOVER)</p>	<p>500</p>
<p>TAGMATE & TAGMATE WITH LANYARD</p> 	<p>T-TM-1020 - TAGMATE T-TM-1100 - TAGMATE WITH LANYARD</p>	<p>TAGMATE 7 TAGMATE WITH LANYARD - 8.2 MHZ RADIO-FREQUENCY (RF) OR 58 KHZ ACOUSTO-MAGNETIC (AM) COMPATIBLE WITH CHECKPOINT OR SENSORMATIC TWO (RF), THREE (TAGMATE), AND FOUR (TAGMATE WITH LANYARD) ALARM PIN THAT ATTACHES TO ANY EAS TAG TO ADD THE ULTIMATE LEVEL OF PROTECTION AGAINST THEFT</p>	<p>600</p>
<p>MAXTACK</p> 	<p>T-TO-MT1000</p>	<p>MAXTACK - 58 KHZ ACOUSTO-MAGNETIC (AM) COMPATIBLE WITH SENSORMATIC SYSTEMS AND DETACHERS THE MAXTACK IS A PIN THAT OFFERS AN INEXPENSIVE SOLUTION FOR RETAILERS THAT WANT TO SWITCH TO AM SYSTEMS, BUT WANT TO CONTINUE USING THEIR EXISTING EAS TAGS</p>	<p>1,000</p>
<p>EAS TAG & LABEL VERIFIER</p> 	<p>T-BS8100</p>	<p>EAS TAG & LABEL VERIFIER SMALL, PORTABLE DEVICE THAT DETECTS 8.2 MHZ (RF) EAS TAGS AND LABELS AT A RANGE OF 3-5 INCHES CAN BE USED TO DETECT SOURCE-TAGGED RF LABELS OR SOMEONE'S PURSE, POCKETS, OR SHOPPING BAG</p>	<p>1</p>

<p>SINGLE ANTENNA EAS SYSTEM</p> 	<p>T-ST-3100C</p>	<p>SINGLE ANTENNA EAS SYSTEM - PLEXI GLASS DETECTS ALL 8.2 MHZ (RF) EAS TAGS AND LABELS UP TO 3 FEET ON BOTH SIDES OF THE SINGLE ANTENNA FOR A TOTAL DETECTION RANGE OF 6 FEET PER ANTENNA ALLOWS RETAILERS WITH WIDE STORE ENTRANCES TO SAVE MONEY BY INSTALLING FEWER ANTENNAS HEAVY- DUTY STEEL BASE PLATES WITH NON-SKID RUBBER COATING ARE AVAILABLE FOR QUICK AND EASY ANTENNA MOUNTING</p>	<p>1</p>
<p>SINGLE ANTENNA EAS SYSTEM</p> 	<p>T-ST-3100</p>	<p>SINGLE ANTENNA EAS SYSTEM - CHROME PIPE DETECTS ALL 8.2 MHZ (RF) EAS TAGS AND LABELS UP TO 3 FEET ON BOTH SIDES OF THE SINGLE ANTENNA FOR A TOTAL DETECTION RANGE OF 6 FEET PER ANTENNA ALLOWS RETAILERS WITH WIDE STORE ENTRANCES TO SAVE MONEY BY INSTALLING FEWER ANTENNAS HEAVY- DUTY STEEL BASE PLATES WITH NON-SKID RUBBER COATING ARE AVAILABLE FOR QUICK AND EASY ANTENNA MOUNTING</p>	<p>1</p>
<p>DUAL ANTENNA EAS SYSTEM</p> 	<p>T-ST-4100C</p>	<p>DUAL ANTENNA EAS SYSTEM - PLEXI GLASS DETECTS ALL 8.2 MHZ (RF) EAS TAGS AND LABELS DETECTION PERFORMANCE DEPENDS ON THE SIZE OF THE TAG OR LABEL BEING USED IN THE STORE HEAVY-DUTY STEEL BASE PLATES WITH NON-SKID RUBBER COATING ARE AVAILABLE FOR QUICK AND EASY ANTENNA MOUNTING</p>	<p>1</p>
<p>DUAL ANTENNA EAS SYSTEM</p> 	<p>T-ST-4100</p>	<p>DUAL ANTENNA EAS SYSTEM - CHROME PIPE DETECTS ALL 8.2 MHZ (RF) EAS TAGS AND LABELS DETECTION PERFORMANCE DEPENDS ON THE SIZE OF THE TAG OR LABEL BEING USED IN THE STORE HEAVY-DUTY STEEL BASE PLATES WITH NON-SKID RUBBER COATING ARE AVAILABLE FOR QUICK AND EASY ANTENNA MOUNTING</p>	<p>1</p>

<p>SENSORMATIC ULTRAPOST SYSTEM</p> 	<p>TPO-SENSORMATIC ULTRAPOST</p>	<p>PREOWNED SENSORMATIC ULTRAPOST SYSTEMS AUTHENTIC SENSORMATIC ULTRAPOST SYSTEMS THAT CAN BE SUPPLIED AS IS OR REFURBISHED AND PAINTED TO LOOK "LIKE NEW".</p>	<p>1</p>
<p>DISPLAY PEOPLE COUNTER</p> 	<p>T-PC-SA1100</p>	<p>DISPLAY PEOPLE COUNTER - PTX20-1 / PRX20D1 COMPLETELY WIRELESS AND BATTERY POWERED (AA BATTERIES) COUNTER THAT IS AFFORDABLE, SIMPLE TO INSTALL AND USE, AND VIRTUALLY MAINTENANCE FREE AS PEOPLE PASS THROUGH AND BREAK THE INFRARED BEAM, THE TOTAL COUNT SHOWN ON THE DISPLAY SCREEN INCREASES</p>	<p>1</p>
<p>RF PEOPLE COUNTER</p> 	<p>T-PC-WL1100</p>	<p>RF PEOPLE COUNTER - PTX20-1 / PRX20W1 COMPLETELY WIRELESS AND BATTERY POWERED (AA BATTERIES) COUNTER THAT IS AFFORDABLE, SIMPLE TO INSTALL AND USE, AND VIRTUALLY MAINTENANCE FREE WORKS WITH OUR SENSOR NETWORK GATEWAY TO WIRELESSLY TRANSMIT DATA TO A PC FOR HOURLY, DAILY, WEEKLY, MONTHLY, AND ANNUAL COUNT ANALYSIS</p>	<p>1</p>
<p>SENSOR NETWORK GATEWAY (SNG)</p> 	<p>T-PC-GW1000</p>	<p>SENSOR NETWORK GATEWAY (SNG) ESSENTIALLY A ROUTER THAT CONNECTS TO A LOCAL AREA NETWORK (LAN) AND CAPTURES THE COUNTING DATA FROM OUR RF COUNTER AND UPLOADS IT TO A LOCAL OR REMOTE PC FOR FURTHER DATA ANALYSIS VIA OUR SPECIAL SOFTWARE</p>	<p>1</p>
<p>USB PEOPLE COUNTER</p> 	<p>T-PC-USB1100</p>	<p>USB PEOPLE COUNTER - PTX20-1 / PRX20U1 COMPLETELY WIRELESS AND BATTERY POWERED (AA BATTERIES) COUNTER THAT IS AFFORDABLE, SIMPLE TO INSTALL AND USE, AND VIRTUALLY MAINTENANCE FREE CAN BE CONNECTED TO A PC WITH A USB CABLE TO UPLOAD STORED COUNTING DATA FOR FURTHER ANALYSIS VIA OUR SPECIAL SOFTWARE</p>	<p>1</p>