INDUSTRY APPLICATION

RETAIL

- Point of Sale Checkout
- Shelf Replenishment
- Price Checking
- Store Inventory
- Goods Receiving
- Postal, Bank, Utilities,
- Public Administration
- Access Control, Entertainment

MANUFACTURING

- Manufacturing Shop Floor
- Component Traceability
- Work-in-Progress
- Sub-Assembly
- Quality Control
- Time and Cost Analysis
- Control Machines Set-up
- In-line Inventory Control

T&L

- Shipping / Receiving
- Parcel Preparation
- Picking / Put Away
- Automatic Sorting Back-Up
- End of Line Sorting

HEALTHCARE

- Bedside Care
- Admittance
- Clinical Lab
- Surgical tool tracking
- Blood bank
- Pharmacies

RETAIL

T&L

2323

HAND HELD SCANNERS

Product Guide

DATALOGIC
EMPOWER YOUR VISION

www.datalogic.com

HAND HELD SCANNERS

Datalogic's Hand Held Scanner product line offers products and solutions for automatic data capture and factory automation throughout the customer's entire value chain in the Retail, Manufacturing, Transportation & Logistics and Healthcare industries. The wide range of general purpose hand held readers offer a variety of choices for most data collection activities. Product sets propose corded and cordless options together with best in class reading technologies, ready to solve current and future needs and applications. Datalogic's PowerScan industrial hand held readers are data collection's definitive example of ruggedness and durability, coupled with outstanding performance and unyielding reliability.

Technologies

- Linear and area imaging technology for 1D and 2D bar codes
- Megapixel performance and distinctive white-illumination technology
- Bluetooth® and Datalogic's STAR Cordless System™ radio connectivity
- Datalogic's exclusive 3GL™ (3 Green Lights) and 'Green Spot' technology
- Great ergonomics and cutting edge design
- Rugged enclosures; Durable and reliable
- Healthcare models with Disinfectant-Ready enclosures and anti-microbial additives
- Wireless battery charging system
- Adjustable position cradle with scan-while-charging capability
- Smart battery management

HEALTHCARE

MANUFACTURING

GENERAL PURPOSE HAND HELD READERS

INDUSTRIAL HAND HELD READERS

CORDLESS FEATURES

CORDLESS FEATURES	
CONTACT	0 to 5 cm / 0 to 2 in
INSTINCTIVE	0 to 30 cm / 0 to 12 in
DISTANCE	0 to 100 cm / 0 to 39 in
LONG RANGE	0 to 250 cm / 0 to 98 in
AUTO RANGE	Up to 10 m / 3 ft

	TD11XX	HD31XX	HD34XX	QW21XX	2131	QW24XX	2430	RIDA	41XX	42XX	45XX	91XX	93XX	95XX RETAIL	95XX
Family	TD1100 FAMILY	HERON™ FAMILY	HERON™ FAMILY	QUICKSCAN™ FAMILY	QUICKSCAN™ FAMILY	QUICKSCAN™ FAMILY	QUICKSCAN™ FAMILY	RIDA™ FAMILY	GRYPHON™ FAMILY	GRYPHON™ FAMILY	GRYPHON™ FAMILY	POWERSCAN™ FAMILY	POWERSCAN™ FAMILY	POWERSCAN™ FAMILY	POWERSCAN™ FAMILY
Description	The TD1100 series of linear imagers are a cost-effective solution for users who require close contact bar code reading. Used in Retail, Services, Banking, etc.	The Heron HD3100 is a linear imager bringing high style and modern technology to the point-of-sale. Available in a 'carbon-fiber' or 'silver' design.	The Heron HD3430 2D area imager brings elegance with advanced 2D reading technology to the modern point-of-sale. Available in a 'carbon-fiber' or 'silver' design.	The QuickScan Lite QW2100 linear imager is an entry level reader specifically for reading long and truncated bar codes which is common in some areas of the world.	The QuickScan 2131 series is a linear imager featuring an extra-wide field of view for reading long bar codes. Available in Desk, Bluetooth® and Mobile (STAR radio) versions.	The QuickScan Lite QW2400 2D corded area imager is designed for reading long and truncated 1D codes and larger 2D codes from close range. It has an extra-wide field of view which allows the capture of these bar codes.	The QuickScan 2430 series are 2D area imagers with a new illumination and aiming system. Available in Desk, Bluetooth® and Mobile (STAR radio) versions.	The DBT6400 is a cordless area imager with Bluetooth® technology in a pocket-sized form factor. Available in a Standard or Healthcare model.	The Gryphon 41XX linear imagers provide advanced reading and performance. Available in Desk, Bluetooth®, Mobile (STAR radio) and Healthcare versions.	The Gryphon 42XX linear imagers provide the best-in-class reading performance on 1D bar codes coupled with disinfectant ready enclosures and a unique wireless battery charging system. Available in Desk, Bluetooth and Mobile (STAR radio) versions.	The Gryphon 45XX 2D area imagers provide a new cutting edge design, megapixel optics and a unique wireless battery charging system. Available in Desk, Bluetooth®, Mobile (STAR radio) and Healthcare versions.	The PowerScan 91XX linear imagers introduce a new green scanning line for outstanding 1D data collection. Available in Desk, Bluetooth® and Mobile (STAR radio) versions.	The PowerScan 93XX laser readers offer state-of-the art performance in an industrial product. Available in Desk, Bluetooth® and Mobile (STAR radio) versions.	The durability of the PowerScan imagers are now available for the Retail sector. Available in Desk, Bluetooth® and Mobile (STAR radio) versions.	The PowerScan 95XX area imagers include omnidirectional reading with outstanding optical characteristics. Available in Desk, Bluetooth®, Mobile (STAR radio) and DPM imaging.
APPLICATIONS															
Retail	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Manufacturing				X	X	X			X	X	X	X	X	X	X
Transportation & Logistics	X			X			X		X	X	X	X	X	X	X
Healthcare								X	X		X				X
FEATURES															
Reading Technology	Linear Imager	Linear Imager	Area Imager	Linear Imager	Linear Imager	Area Imager	Area Imager	Area Imager	Linear Imager	Linear Imager	Area Imager	Linear Imager	Laser	Area Imager	Area Imager
Reading Range	Contact/Instinctive	Instinctive	Instinctive	Instinctive	Instinctive	Instinctive	Instinctive	Instinctive	Distance	Distance	Distance	Distance	Distance / Auto Range	Instinctive / Distance	Instinctive / Distance / Auto Range / DPM Models: Contact / Instinctive
Aiming System	Scan Line	Scan Line	4-Dot / Center Cross Aimer	Scan Line	Scan Line	Blue Aiming Dot	Two Blue Triangles	4-Dot Aimer	Scan Line	Soft line viewfinder	4-Dot/Center Cross Aimer	Laser-like Line	Laser Line	4-Dot/Center Cross Aimer	Frame Aimer/Center Cross
Wide Scan Angle					X		X			X					X
Host Interface	RS-232 / USB / Keyboard Wedge / Wand Emulation	RS-232 / USB / Keyboard Wedge	RS-232 / USB / Keyboard Wedge	RS-232 / USB / Keyboard Wedge	RS-232 / USB / Keyboard Wedge / OEM (IBM) USB	RS-232 / USB / Keyboard Wedge	RS-232 / USB / Keyboard Wedge / OEM (IBM) USB	USB (with BC6020 only)	RS-232 / USB / Keyboard Wedge / Wand / IBM46XX available with accessory cable	USB type C / USB / RS-232 / Keyboard Wedge / IBM46XX available with accessory cable	RS-232 / USB / Keyboard Wedge / IBM46XX available with accessory cable	RS-232 / USB / Keyboard Wedge / Ethernet / Industrial Fieldbus	RS-232 / USB / Keyboard Wedge / Ethernet / Industrial Fieldbus	RS-232 / USB / Keyboard Wedge	RS-232 / USB / Keyboard Wedge / Ethernet / Industrial Fieldbus
DATA CAPTURE															
Bar Codes	1D	1D	1D and 2D	1D	1D	1D and 2D	1D and 2D	1D and 2D	1D	1D	1D, 2D and Dotcode	1D	1D	1D and 2D	1D and 2D
Direct Part Marked (DPM) Codes															DPM Model
Digital Watermarks															
Image Capture			X					X			X			X	X
Reads from Smartphone or screen displays	X	X	X	X	X	X	X	X	X		X	X	X	X	X
Datalogic's 'Green Spot' Technology		X	X	X	X	X	X	X	X	X	X	X		X	X
RUGGEDNESS / DURABILITY															
IP Rating (Particulate and Liquid Sealing)	IP30	IP40	IP40	IP42	IP42	IP42	IP42	IP52	IP52	IP52	x\IP52	IP65	IP65	IP65	IP65
Drop to Concrete	1.5 m / 5.0 ft	1.5 m / 5.0 ft	1.5 m / 5.0 ft	1.5 m / 5.0 ft	1.5 m / 5.0 ft	1.5 m / 5.0 ft	1.5 m / 5.0 ft	1.5 m / 5.0 ft	1.8 m / 5.9 ft; HC Model: 1.5 m / 5.0 ft	1.8 m / 5.9 ft	1.8 m / 5.9 ft	2.0 m / 6.6 ft	2.0 m / 6.6 ft	2.0 m / 6.6 ft	2.0 m / 6.6 ft
Factory Warranty	5 Years	5 Years	5 Years	3 Years	QD2131: 5 Years QBT2131: 3 Years QM2131: 3 Years	3 Years	QD2430: 5 Years QBT2430: 3 Years QM2430: 3 Years	3 Years	GD4100: 5 Years GBT4100, GM4100: 3 Years	GD4200: 5 Years GBT4200, GM4200: 3 Years	GD4500: 5 Years; GBT4500, GM4500: 3 Years	3 Years	3 Years	3 Years	3 Years
CORDLESS FEATURES															
Wireless Technology (STAR / Bluetooth)					Bluetooth® 3.0 Class 2 STAR 2.0: 433 MHz		Bluetooth® 3.0 Class 2 STAR 2.0: 433 MHz	Bluetooth® 4.0	Bluetooth® 3.0 STAR: 433 or 910 MHz	Bluetooth® 4.0 STAR: 433 or 910 MHz	Bluetooth® 4.0 STAR: 433 or 910 MHz	Bluetooth® 3.0 STAR: 433 or 910 MHz	Bluetooth® 3.0 STAR: 433 or 910 MHz	Bluetooth® 3.0 STAR: 433 or 910 MHz	Bluetooth® 3.0 STAR 2.0: 433 or 910 MHz
Wireless Range – Travel Distance from Base					25.0 m / 82.0 ft		25.0 m / 82.0 ft	25.0 m / 82.0 ft	30.0 m / 98.4 ft	BT: Up to 100 m / 328 ft STAR: Up to 50 m / 164 ft	BT: Up to 100 m / 328 ft STAR: Up to 50 m / 164 ft	BT: Up to 100 m / 328 ft 433: Up to 50 m / 328 ft 910: Up to 400 m / 1,312 ft	BT: Up to 100 m / 328 ft 433: Up to 100 m / 328 ft 910: Up to 400 m / 1,312 ft	BT: Up to 90 m / 295 ft 433: Up to 90 m / 164 ft 910: Up to 100 m / 328 f	BT: Up to 90 m / 295 ft 433: Up to 100 m / 328 ft 910: Up to 150 m / 492 ft
Display / Keypad for 2-Way Communication												PM9100	PM9300	PM9500 Retail	PM9500
Batch Mode Capability					500 + Linear Codes		500 + Linear Codes	X	X	X	X	X	X	X	X
Battery Type					Li-Ion 1400 mAh		Li-Ion 1400 mAh	Li-Ion 700 mAh	Li-Ion 2550 mAh	Li-Ion 2550 mAh	Li-Ion 3250 mAh	Li-Ion 2150 mAh	Li-Ion 2150 mAh	Li-Ion 2150 mAh	Li-Ion 2150 mAh
Battery Life – Scans Between Charge					30,000 +		30,000 +		GBT: 30,000 + / GM: 50,000 +	GBT, GM: 80,000+	GBT: 80,000 + / GM: 60,000 +	PBT: 50,000 + / PM: 50,000 +	PBT: 50,000 + / PM: 50,000 +	PBT: 30,000 + / PM: 30,000 +	30,000 +
Scan While Charging					QBT2131, QM2131		QBT2430, QM2430		GBT4100, GM4100	GBT, GM with WLC4090 base station	GBT, GM with WLC4090 base station	Vertical Cradle	Vertical Cradle	Vertical Cradle	Vertical Cradle